

# HC-CST-MOD - Coding element



1636127

<https://www.phoenixcontact.com/us/products/1636127>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Coding peg for coding up to 16 connectors, for HC Modular

## Commercial data

|                                      |               |
|--------------------------------------|---------------|
| Item number                          | 1636127       |
| Packing unit                         | 10 pc         |
| Minimum order quantity               | 10 pc         |
| Sales key                            | BF61          |
| Product key                          | AF7ABZ        |
| GTIN                                 | 4017918963057 |
| Weight per piece (including packing) | 1.93 g        |
| Weight per piece (excluding packing) | 1.89 g        |
| Customs tariff number                | 73181558      |
| Country of origin                    | CN            |

1636127

<https://www.phoenixcontact.com/us/products/1636127>

Technical data

Product properties

|              |                |
|--------------|----------------|
| Product type | Coding element |
|--------------|----------------|


Mounting

|               |                                                                                       |
|---------------|---------------------------------------------------------------------------------------|
| Assembly note | Coding pins and sockets are required for the modules HC-M-DSUB.... and HC-M-25-MOD... |
|---------------|---------------------------------------------------------------------------------------|

Material specifications

|          |                   |
|----------|-------------------|
| Material | Steel, galvanized |
|----------|-------------------|

Dimensions


|                     |                                                                                     |
|---------------------|-------------------------------------------------------------------------------------|
| Dimensional drawing |  |
| Width               | 4.3 mm                                                                              |
| Height              | 4.3 mm                                                                              |
| Length              | 23.2 mm                                                                             |

Notes

|                    |                                                                 |
|--------------------|-----------------------------------------------------------------|
| Notes on operation | Prevents most cases of the connector being inserted at an angle |
|--------------------|-----------------------------------------------------------------|


## Drawings

Dimensional drawing




Dimensional drawing

Circuit diagram



Coding for housings with two contact inserts

## Circuit diagram



Coding for housings with one contact insert

1636127

<https://www.phoenixcontact.com/us/products/1636127>

## Classifications

### ECLASS

|             |          |
|-------------|----------|
| ECLASS-13.0 | 27440203 |
| ECLASS-15.0 | 27440203 |

### ETIM

|           |          |
|-----------|----------|
| ETIM 10.0 | EC002311 |
|-----------|----------|

### UNSPSC

|             |          |
|-------------|----------|
| UNSPSC 21.0 | 39121400 |
|-------------|----------|

1636127

<https://www.phoenixcontact.com/us/products/1636127>

## Environmental product compliance

### EU RoHS

|                                         |                    |
|-----------------------------------------|--------------------|
| Fulfills EU RoHS substance requirements | Yes, No exemptions |
|-----------------------------------------|--------------------|

### China RoHS

|                                        |                                          |
|----------------------------------------|------------------------------------------|
| Environment friendly use period (EFUP) | EFUP-E                                   |
|                                        | No hazardous substances above the limits |

### EU REACH SVHC

|                                     |                            |
|-------------------------------------|----------------------------|
| REACH candidate substance (CAS No.) | No substance above 0.1 wt% |
|-------------------------------------|----------------------------|

### EF3.1 Climate Change

|         |               |
|---------|---------------|
| CO2e kg | 0.136 kg CO2e |
|---------|---------------|

Phoenix Contact 2026 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)