

# VS-08-KS-H/GY - RJ45 bending protection sleeve



1654743

<https://www.phoenixcontact.com/us/products/1654743>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

RJ45 bend protection sleeve, for pin inserts VS-08-ST-H11-RJ45 and VS-08-ST-H21-RJ45, for cable cross section up to 7 mm, color: gray



## Commercial data

|                                      |               |
|--------------------------------------|---------------|
| Item number                          | 1654743       |
| Packing unit                         | 5 pc          |
| Minimum order quantity               | 5 pc          |
| Sales key                            | AB10          |
| Product key                          | ABNAAZ        |
| GTIN                                 | 4017918977801 |
| Weight per piece (including packing) | 2.24 g        |
| Weight per piece (excluding packing) | 1.78 g        |
| Customs tariff number                | 39269097      |
| Country of origin                    | CN            |

# VS-08-KS-H/GY - RJ45 bending protection sleeve



1654743

<https://www.phoenixcontact.com/us/products/1654743>

## Technical data

### Product properties

|              |                        |
|--------------|------------------------|
| Product type | Bend protection sleeve |
|--------------|------------------------|

### Dimensions

|        |         |
|--------|---------|
| Width  | 13.5 mm |
| Height | 17 mm   |
| Length | 29.5 mm |

### Material specifications

|                                        |      |
|----------------------------------------|------|
| Color                                  | gray |
| Flammability rating according to UL 94 | V0   |
| Housing material                       | PA   |

### Cable/line

|                         |      |
|-------------------------|------|
| External cable diameter | 7 mm |
|-------------------------|------|

### Environmental and real-life conditions

#### Ambient conditions

|                                 |                  |
|---------------------------------|------------------|
| Degree of protection            | IP20             |
| Ambient temperature (operation) | -40 °C ... 80 °C |

# VS-08-KS-H/GY - RJ45 bending protection sleeve



1654743

<https://www.phoenixcontact.com/us/products/1654743>

## Classifications

### ECLASS

|             |          |
|-------------|----------|
| ECLASS-13.0 | 27440392 |
| ECLASS-15.0 | 27440392 |

### ETIM

|           |          |
|-----------|----------|
| ETIM 10.0 | EC002943 |
|-----------|----------|

### UNSPSC

|             |          |
|-------------|----------|
| UNSPSC 21.0 | 39121400 |
|-------------|----------|

# VS-08-KS-H/GY - RJ45 bending protection sleeve



1654743

<https://www.phoenixcontact.com/us/products/1654743>

## Environmental product compliance

### EU RoHS

|                                         |                    |
|-----------------------------------------|--------------------|
| Fulfills EU RoHS substance requirements | Yes, No exemptions |
|-----------------------------------------|--------------------|

### China RoHS

|                                        |                                          |
|----------------------------------------|------------------------------------------|
| Environment friendly use period (EFUP) | EFUP-E                                   |
|                                        | No hazardous substances above the limits |

### EU REACH SVHC

|                                     |                            |
|-------------------------------------|----------------------------|
| REACH candidate substance (CAS No.) | No substance above 0.1 wt% |
|-------------------------------------|----------------------------|

### EF3.1 Climate Change

|         |               |
|---------|---------------|
| CO2e kg | 0.206 kg CO2e |
|---------|---------------|

Phoenix Contact 2026 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)