

# NS 30/15 PERF 2000MM VPE 10 - DIN rail perforated



3240262

<https://www.phoenixcontact.com/us/products/3240262>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



DIN rail perforated, Pack of 10 (20 m), similar to EN 60715, material: Steel, zinc plating, C profile

## Your advantages

- The cable clamps provide strain relief
- The halogen-free plastic troughs have been designed to be perfectly secure while simultaneously protecting the conductors
- Individual or bundled cables with a diameter of up to 64 mm can be installed safely and easily

## Commercial data

|                                      |               |
|--------------------------------------|---------------|
| Item number                          | 3240262       |
| Packing unit                         | 10 m          |
| Minimum order quantity               | 20 m          |
| Sales key                            | BE72          |
| Product key                          | BE7284        |
| GTIN                                 | 4046356480833 |
| Weight per piece (including packing) | 1,400 g       |
| Weight per piece (excluding packing) | 1,400 g       |
| Customs tariff number                | 72166190      |
| Country of origin                    | DE            |

# NS 30/15 PERF 2000MM VPE 10 - DIN rail perforated



3240262

<https://www.phoenixcontact.com/us/products/3240262>

## Technical data

### Product properties

|              |          |
|--------------|----------|
| Product type | DIN rail |
|--------------|----------|

### Dimensions

|                    |         |
|--------------------|---------|
| Width              | 30 mm   |
| Hole width         | 15 mm   |
| Hole height        | 6.2 mm  |
| Depth              | 15 mm   |
| Length             | 2000 mm |
| Drill hole spacing | 25 mm   |

### Material specifications

|          |              |
|----------|--------------|
| Material | Steel        |
| Coating  | zinc plating |

### Standards and regulations

|                                  |                     |
|----------------------------------|---------------------|
| Connection in acc. with standard | IEC / EN            |
| Tests                            | similar to EN 60715 |

# NS 30/15 PERF 2000MM VPE 10 - DIN rail perforated



3240262

<https://www.phoenixcontact.com/us/products/3240262>

## Classifications

### ECLASS

|             |          |
|-------------|----------|
| ECLASS-13.0 | 27400602 |
| ECLASS-15.0 | 27400602 |

### ETIM

|           |          |
|-----------|----------|
| ETIM 10.0 | EC001285 |
|-----------|----------|

### UNSPSC

|             |          |
|-------------|----------|
| UNSPSC 21.0 | 39121700 |
|-------------|----------|

3240262

<https://www.phoenixcontact.com/us/products/3240262>

## Environmental product compliance

### EU RoHS

|                                         |                    |
|-----------------------------------------|--------------------|
| Fulfills EU RoHS substance requirements | Yes, No exemptions |
|-----------------------------------------|--------------------|

### China RoHS

|                                        |                                          |
|----------------------------------------|------------------------------------------|
| Environment friendly use period (EFUP) | EFUP-E                                   |
|                                        | No hazardous substances above the limits |

### EU REACH SVHC

|                                     |                            |
|-------------------------------------|----------------------------|
| REACH candidate substance (CAS No.) | No substance above 0.1 wt% |
|-------------------------------------|----------------------------|

### EF3.1 Climate Change

|         |               |
|---------|---------------|
| CO2e kg | 2.986 kg CO2e |
|---------|---------------|

Phoenix Contact 2026 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)