GPEG SO - Engraving material

0811794

https://www.phoenixcontact.com/us/products/0811794

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Engraving material, Engraving plate, unmarked, mounting type: adhesive, text field height: 277 mm, text field width: 293 mm



The figure shows the version GPE 20x8 WH

Commercial data

Item number	0811794
Packing unit	1 pc
Minimum order quantity	1 pc
Note	Made to order (non-returnable)
Product key	BG2415
GTIN	4017918929688
Weight per piece (including packing)	152.44 g
Weight per piece (excluding packing)	152.44 g
Country of origin	PL

Technical data

Product properties

Product type	Device marker

Marking

Identification technology	Engraving

Dimensions

Width	293.00 mm
Height	277.00 mm
Depth	0.85 mm

Text field

Text field width	293 mm
Text field height	277 mm

Material specifications

Adhesive strength	50 µm
Adhesive	Acrylic
Base element material	ABS
Components	Silicone-free

Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation)	-20 °C ... 85 °C
Recommended ambient temperature (storage/transport)	20 °C
Recommended humidity (storage/transport)	50 %

UV resistance

Specification	DIN EN ISO 4892-2:2021-11 (following)

Wipe resistance of inscriptions

Specification	DIN EN 61010-1 (VDE 0411-1):2011-07

Mounting

Mounting type	adhesive

Classifications

ECLASS

ECLASS-13.0	27281103
ECLASS-15.0	27281103

ETIM

ETIM 10.0	EC001288

UNSPSC

UNSPSC 21.0	39131500

Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes, No exemptions

EU REACH SVHC

REACH candidate substance (CAS No.)	No substance above 0.1 wt%

EF3.1 Climate Change

CO2e kg	0.552 kg CO2e

Phoenix Contact 2026 © - all rights reserved
https://www.phoenixcontact.com

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com